

Referencias bibliográficas

REFERENCIAS

1. Hassell JR, Birk DE. The molecular basis of corneal transparency. *Exp Eye Res.* 2010; 91:326-35.
2. Serra H, Suarez MF, Esposito E, Urrets-Zavalía JA. 2014: Vitamin C functions in the cornea: Ultra-structural features in ascorbate deficiency. In: Preedy VR (ed.). The handbook of nutrition, diet and the eye. London, UK: Elsevier Inc., Chapter 31: 311- 320.
3. Dua HS, Faraj LA, Said DG, Gray T, Lowe J. Human corneal anatomy redefined: a novel pre-Descemet's layer (Dua's layer). *Ophthalmology.* 2013; 120: 1778-85.
4. Jakus, M. A. 1961: The fine structure of the human cornea. In: "The Structure of the Eye". (G. K. Smelser, Ed). pp 343-366. Academic Press Inc., New York.
5. Meek, K.M., and Quantock, A.J. The use of X-ray scattering techniques to determine corneal ultrastructure. *Prog Retin Eye Res.* 2001; 20: 95-137.
6. McLaughlin BJ, Caldwell RB, Sasaki Y, Wood TO. Freeze-fracture quantitative comparison of rabbit corneal epithelial and endothelial membranes. *Curr Eye Res.* 1985; 4: 951-61.
7. McMenamin PG, Steele C, McGhee CNJ. Cornea anatomy, physiology and healing. En Excimer lasers in Ophthalmology. Editor Charles McGhee. Martin Dunitz, Londres. 1997, pp 41-63.
8. Fine BS, Yanoff M. Ocular Histology: A Text and Atlas. 2nd ed. Hagerstown, MD: Harper & Row; 1979: 163- 168.
9. Cafaro TA, Ortiz SG, Maldonado C, Espósito FA, Croxatto JO, Berra A, et al. The cornea of Guinea pig: structural and functional studies. *Vet Ophthalmol* 2009;12: 234-41.
10. Stepp MA. Corneal integrins and their functions. *Exp Eye Res.* 2006; 83: 3-15.
11. Last, J.A., Russell, P., Nealey, P.F., and Murphy, C.J. The applications of atomic force microscopy to vision science. *Invest Ophthalmol Vis Sci.* 2010; 51: 6083-6094.
12. Matteini, P., Ratto, F., Rossi, F., Cicchi, R., Stringari, C., Kapsokalyvas, D., Pavone, F.S., and Pini, R. Photothermally-induced disordered patterns of corneal collagen revealed by SHG imaging. *Opt Express.* 2009; 17: 4868-4878.
13. Bron AJ. The architecture of the corneal stroma. *Br J Ophthalmol.* 2001, 85: 379–383.
14. Müller LJ, Pels E, Vrensen GF. The specific architecture of the anterior stroma accounts for maintenance of corneal curvature. *Br J Ophthalmol.* 2001, 85:437-443.
15. Scott JE. Proteoglycan collagen interaction and corneal ultrastructure. *Biochem Soc Trans.* 1991; 19: 887-881. Axelsson, I., and Heinegård, D.
16. Characterization of the keratan sulphate proteoglycans from bovine corneal stroma. *Biochem J.* 1978; 169, 517-530.
17. Anwar M, Teichmann KD. Deep lamellar keratoplasty: Surgical techniques for anterior lamellar keratoplasty with and without baring of Descemet's membrane. *Cornea.* 2002; 21:374–83.
18. Dua HS, Said DG. Clinical evidence of the pre-Descemets layer (Dua's layer) in corneal pathology. *Eye (Lond).* 2016. doi: 10.1038/eye.2016.62.
19. Hart WM; Adler, Fisiología del Ojo, 9na. ed., Mosby Doyma, Madrid, 1994, pp 29-71.

20. Waring GO 3rd, Bourne WM, Edelhauser HF, Kenyon KR. The corneal endothelium. Normal and pathologic structure and function. *Ophthalmology* 1982; 89:531-590.
21. Riley MV. The role of the epithelium in control of corneal hydration. *Exp Eye Res.* 1971; 12: 128-37.
22. Bourne WM, Kaufman HE. The endothelium of clear corneal transplants. *Arch Ophthalmol.* 1976; 94:1730-2.
23. Gelatt KN; Ophthalmic embryology and anatomy. En *Veterinary Ophthalmology*, 2nd ed., Lea & Febiger, Philadelphia, 1991, pp:3-124.
24. Joe A, Yeung S. Concise review: Identifying limbal stem cells: Classical concepts and new challenges. *Stem Cells Transl Med.* 2014; 3: 318-322.
25. Maurice DM. The structure and transparency of the cornea. *J Physiol.* 1957; 136: 263-286.
26. Meek KM, Leonard DW, Connon CJ, Dennis S, Khan S. Transparency, swelling and scarring in the corneal stroma. *Eye (Lond).* 2003, 8: 927-936.
27. Folkman J, Ingber D. Inhibition of angiogenesis. *Semin Cancer Biol.* 1992; 3:89-96. Review.
28. Freegard TJ. The physical basis of transparency of the normal cornea. *Eye (Lond).* 1997; 11: 465-71.
29. Shaheen BS, Bakir M, Jain S. Corneal nerves in health and disease. *Surv Ophthalmol.* 2014; 59: 263-285.
30. Al-Aqaba MA, Fares U, Suleiman H, Lowe J, Dua HS. Architecture and distribution of human corneal nerves. *Br J Ophthalmol.* 2010; 94:784-9.
31. He J, Bazan NG, Bazan HE. Mapping the entire human corneal nerve architecture. *Exp Eye Res.* 2010; 91:513–23.
32. Müller LJ, Marfurt CF, Kruse F, Tervo TMT. Corneal nerves: structure, contents and function. *Exp eye Research.* 2003; 76: 521–542.
33. Müller LJ, Pels E, Vrensen GF. Ultrastructural organization in human corneal nerves. *Invest Ophthalmol Vis Sci.* 1996; 37:476-488.
34. Rózsa AJ, Beuerman RW. Density and organization of free nerve endings in the corneal epithelium of the rabbit. *Pain.* 1982; 14:105-120.
35. Belmonte C, Garcia-Hirschfeld J, Gallar J. Neurobiology of ocular pain. *Prog Ret Eye Res.* 1997; 16:117–156.
36. Murphy PJ, Patel S, Kong N, Ryder RE, Marshall J. Noninvasive assessment of corneal sensitivity in young and elderly diabetic and nondiabetic subjects. *Invest Ophthalmol Vis Sci.* 2004; 45:1737–1742.
37. Heigle TJ, Pflugfelder SC. Aqueous tear production in patients with neurotrophic keratitis. *Cornea.* 1996; 15:135–138.
38. Nishida T, Chikama T, Sawa M, Miyata K, Matsui T, Shigeta K. Differential contributions of impaired corneal sensitivity and reduced tear secretion to corneal epithelial disorders. *Jpn J Ophthalmol.* 2012; 56: 20–25.
39. Pascolini D, Mariotti SP. Global estimates of visual impairment: 2010. *Br J Ophthalmol.* 2012; 96: 614–618.

40. Tuisku IS, Konttinen YT, Konttinen LM, Tervo TM. Alterations in corneal sensitivity and nerve morphology in patients with primary Sj.gren's syndrome. *Exp Eye Res.* 2008; 86: 879–885.
41. Young JD, Finlay RD. Primary spheroidal degeneration of the cornea in Labrador and northern Newfoundland. *Am J Ophthalmol* 1975; 79:129-134.
42. Freedman A. Climatic droplet keratopathy. I. Clinical aspects. *Arch Ophthalmol* 1973; 89:193-197.
43. Anderson J, Fuglsang H. Droplet degeneration of the cornea in North Cameroon. Prevalence and clinical appearances. *Br J Ophthalmol* 1976; 60: 256-262.
44. Taylor HR. Aetiology of climatic droplet keratopathy and pterygium. *Br J Ophthalmol* 1980; 64: 154-163.
45. Fraunfelder FT, Hanna C. Spherodial degeneration of cornea and conjunctiva. 3. Incidences, classification, and etiology. *Am J Ophthalmol* 1973; 76: 41-50.
46. Rodger FC. Punctate keratopathy. *Br J Ophthalmol* 1969; 53: 430.
47. Gray RH, Johnson GJ, Freedman A. Climatic droplet keratopathy. *Surv Ophthalmol* 1992; 36: 241-253.
48. Singh D, Singh M. Climatic keratopathy. *Trans Ophthalmol Soc U K* 1978; 98:10-13.
49. Matta CS, Tabbara KF, Cameron JA, Hidayat AA, al-Rajhi AA. Climatic droplet keratopathy with corneal amyloidosis. *Ophthalmology* 1991; 98:192-195.
50. Ormerod LD, Dahan E, Hagele JE, Guzek JP. Serious occurrences in the natural history of advanced climatic keratopathy. *Ophthalmology* 1994; 101:448-453.
51. Etzine S, Kaufmann JC. Band-shaped nodular dystrophy of the cornea. *Am J Ophthalmol* 1964; 57: 760-763.
52. Garner A. Keratinoid corneal degeneration. *Br J Ophthalmol* 1970; 54: 769-780.
53. Resnikoff S, Filliard G, Dell'Aquila B. Climatic droplet keratopathy, exfoliation syndrome, and cataract. *Br J Ophthalmol* 1991; 75: 734-736.
54. Hanna C, Fraunfelder FT. Spheroid degeneration of the cornea and conjunctiva. 2. Pathology. *Am J Ophthalmol* 1972; 74: 829-839.
55. Urrets-Zavalia JA, E. G. Knoll, J. P. Maccio et al., Climatic droplet keratopathy in the Argentine Patagonia, *Am J Ophthalmol*, 2006; 141: 744-746.
56. Tabbara KF. Climatic droplet keratopathy. *Int Ophthalmol Clin* 1986; 26: 63-68.
57. Duhaman AS, Gorban AM, Shoukrey N, Tabbara KF. Biochemical analysis of climatic droplet keratopathy. *Saudi Bull Ophthalmol* 1988; 3:147-149.
58. Detorakis ET, Spandidos DA. Pathogenetic mechanisms and treatment options for ophthalmic pterygium: trends and perspectives (Review). *Int J Mol Med.* 2009; 23: 439-447.
59. Cárdenas-Cantú E, Zavala J, Valenzuela J, Valdez-García JE. Molecular Basis of Pterygium Development. *Semin Ophthalmol.* 2016; 31:567-83.
60. Taylor HR, West SK, Rosenthal FS, Munoz B, Newland HS, Emmett EA. Corneal changes associated with chronic UV irradiation. *Arch Ophthalmol.* 1989; 107:1481–1484.
61. Frucht-Pery J, Solomon A, Siganos CS, Shvartzberg T, Richard C, Trinquand C. Treatment of inflamed pterygium and pinguecula with topical indomethacin 0.1% solution. *Cornea.* 1997; 16:42–47.

62. Dong N, Li W, Lin H, Wu H, Li C, Chen W, Qin W, Quyang L, Wang H, Liu Z. Abnormal epithelial differentiation and tear film alteration in pinguecula. *Invest Ophthalmol Vis Sci*. 2009; 50: 2710-2715.
63. Gul A, Goker H, Sabanci S, Kurt A, Turkyilmaz K. Relationship between pinguecula formation and exposure to tandoor ovens in a hospital-based study. *Int J Ophthalmol*. 2014; 7:1014-1016.
64. Cameron ME. Pterygium throughout the world; 1965. Springfield, IL, Charles C Thomas, 4.
65. Moran DJ, Hollows FC. Pterygium and ultraviolet radiation: a positive correlation. *Br J Ophthalmol*. 1984; 68: 343-346.
66. Detorakis ET, Sourvinos G, Tsamparlakis J, Spandidos DA. Evaluation of loss of heterozygosity and microsatellite instability in human pterygium: clinical correlations. *Br J Ophthalmol*. 1998; 82:1324-1328.
67. Dushku N, Hatcher SL, Albert DM, Reid TW. p53 expression and relation to human papillomavirus infection in pingueculae, pterygia, and limbal tumors. *Arch Ophthalmol*. 1999; 117:1593-1599.
68. Piras F, Moore PS, Ugalde J, Perra MT, Scarpa A, Sirigu P. Detection of human papillomavirus DNA in pterygia from different geographical regions. *Br J Ophthalmol*. 2003; 87: 864-866.
69. Chalkia AK, Spandidos DA, Detorakis ET. Viral involvement in the pathogenesis and clinical features of ophthalmic pterygium (Review). *Int J Mol Med*. 2013; 32: 539-43.
70. Serra HM, Holopainen JM, Beuerman R, Kaarniranta K, Suárez MF, Urrets-Zavalía JA. Climatic droplet keratopathy: an old disease in new clothes (Review). *ActaOphthalmol*. 2015; 93: 496-504.
71. E. Baquis, Die colloïde Degeneration der Cornea. Ein Beitrag zur Kenntniss der Entstehung des Colloïds aus epithelialen Elementen, Albrecht von Graefe's Arch Klin Exp Ophthalmol, 1898; 46: 553-620.
72. L. Lugli, Degeneratio cornea sphaerularis elaioides, Albrecht von Graefe's Arch Klin Exp Ophthalmol, 1935; 134: 211-226.
73. G. Zanettin, I cieche delle isole Dahlac, *Arch Ital Sci Med Colon Parass*, 1937;18: 387-398.
74. H. Forsius, A.W. Eriksson and H. Luukka, Ophthalmological characteristics of Eskimos in Augpilagtok, *Arch. Anthropol* 1970; 7: 9-17.
75. G. K. Klintworth, Chronic actinic keratopathy--a condition associated with conjunctival elastosis (pingueculae) and typified by characteristic extracellular concretions, *Am J Pathol*, 1972; 67: 327-348.
76. R. McGuinness, F. C. Hollows, J. Tibbs and D. Campbell, Labrador keratopathy in Australia, *Med J Aust*, 1972; 2: 1249-1250.
77. H. Forsius and A. Eriksson, The cornea at northern latitudes--corneal power, arcus senilis and corneal scars in Eskimos, Lapps and Finns, *Can J Ophthalmol*, 1973; 8: 280-285.
78. H. T. Wyatt, Corneal disease in the Canadian North, *Can J Ophthalmol*, 1973; 8: 298-305.
79. F. P. English, Eskimo keratopathy, *Papua New Guinea Med J*, 1973; 18: 95-96.
80. J. Anderson and H. Fuglsang, Droplet degeneration of the cornea in North Cameroon. Prevalence and clinical appearances, *Br J Ophthalmol*, 1976; 60: 256-262.

81. S. F. Pilley, The incidence and aetiology of blindness in Seychelles—1974, *J Trop Med Hyg*, 1976; 79: 72-82.
82. H. Forsius, Pterygium, climatic keratopathy and pinguecula of the eyes in Arctic and subarctic populations, In: Shepard RJ, Itoh S (eds.). *Circumpolar Health*. Toronto: University of Toronto Press, 1976, pp 364-373.
83. Urrets-Zavalía JA, J. P. Maccio, E. G. Knoll, T. A. Cafaro, E. A. Urrets-Zavalía and H. M. Serra, Surface alterations, corneal hypoesthesia and iris atrophy in patients with climatic droplet keratopathy, *Cornea*, 2007; 26: 800-804.
84. A. Garner, G. Morgan and R. C. Tripathi, Climate dropley keratopathy. II. Pathologic finding, *Arch Ophthalmol*, 1973; 89: 198-204.
85. G. J. Johnson and M. Overall, Histology of spheroidal degeneration of the cornea in Labrador, *Br J Ophthalmol*, 1978; 62: 53-61.
86. Urrets-Zavalía JA, J. O. Croxatto, J. M. Holopainen et al., In vivo confocal microscopy study of climatic droplet keratopathy, *Eye (Lond)*, 2012; 26: 1021-1023.
87. N. Fujii, T. Shimo-Oka, M. Ogiso, et al., Localization of biologically uncommon D-beta-aspartate-containing alphaA-crystallin in human eye lens, *Mol Vis*. 2000; 6: 1-5.
88. Y. Kaji, T. Oshika, Y. Takazawa et al., Localization of D-beta-aspartic acid-containing proteins in human eyes, *Invest Ophthalmol Vis Sci*, 2007; 48: 3923-3927.
89. Y. Kaji, T. Oshika, Y. Takazawa et al., Accumulation of D-beta-aspartic acid-containing proteins in age-related ocular diseases, *Chem Biodivers*, 2010; 7: 1364-1370.
90. Y. Kaji, R. Nagai, S. Amano et al., Advanced glycation end product deposits in climatic droplet keratopathy, *Br J Ophthalmol*, 2007; 91: 85-88.
91. L. Zhou, S. Z. Zhao, S. K. Koh, L. Chen et al., In-depth analysis of the human tear proteome, *J Proteomics*, 2012; 75: 3877-3885.
92. L. Zhou and R. W. Beuerman, Tear analysis in ocular surface diseases, *Prog Retin Eye Res*. 2012; 31: 527-550.
93. L. Zhou, R. W. Beuerman, A. P. Chew et al., Quantitative analysis of N-linked glycoproteins in tear fluid of climatic droplet keratopathy by glycopeptides capture and iTRAQ, *J Proteome Res*. 2009; 8: 1992-2003.
94. J. M. Holopainen, H. M. Serra, M. C. Sánchez et al., Altered expression of matrix metalloproteinases and their tissue inhibitors as possible contributors to corneal droplet formation in climatic droplet keratopathy, *Acta Ophthalmol*. 2011; 89: 569-574.
95. J. M. Holopainen, A. Robciuc, T. A. Cafaro et al., Pro Inflammatory Cytokines and Gelatinases in Climatic Droplet Keratopathy, *Invest Ophthalmol Vis Sci*, 2012; 53: 3527-3535.
96. Serra H.M, Cafaro T. Acido Ascórbico: Desde La Química Hasta Su Crucial Función Protectiva En Ojo. *Acta Bioquímica Clínica Latinoamericana* 2007; 41: 525-532.
97. Bligh EG, Dyer WJ. A rapid method of total lipid extraction and purification. *Can J Biochem Physiol*. 1959; 37: 911-917.
98. Enriquez-Algeciras M, Bhattacharya SK. Lipidomic mass spectrometry and its application in neuroscience. *World J Biol Chem*. 2013; 4:102-110.

99. A. Ringvold, Corneal epithelium and UV-protection of the eye, *Acta Ophthalmol Scand.* 1998; 76: 149-153.
100. R. F. Brubaker, W. M. Bourne, L. A. Bachman, J. W. McLaren, "Ascorbic acid content of human corneal epithelium," *Invest Ophthalmol Vis Sci.* 2000; 41: 1681-1683.
101. Y. Wang, B. Mackenzie, H. Tsukaguchi, S. Weremowicz, C. C. Morton, M. A. Hediger, "Human vitamin C (L-ascorbic acid) transporter SVCT1," *Biochem Biophys Res Commun.* 2000; 19: 488-9487.
102. K. Wu, M. Kojima, Y. B. Shui, H. Sasaki, K. Sasaki, "Ultraviolet B-induced corneal and lens damage in guinea pigs on low-ascorbic acid diet," *Ophthalmic Research.* 2004; 36: 277-283.
103. S. Hayes, T. A. Cafaro, P. Borkowska et al., "The effect of vitamin c deficiency and chronic ultraviolet-B exposure on corneal ultrastructure: a preliminary investigation," *Molecular Vision.* 2011; 17: 3107-3115.
104. A. Stojanovic and T. A. Nitter, "Correlation between ultraviolet radiation level and the incidence of late-onset corneal haze after photorefractive keratectomy," *J Cataract Refract Surg.* 2001; 27: 404-410.
105. A. Stojanovic, A. Ringvold and T. Nitter, "Ascorbate prophylaxis for corneal haze after photorefractive keratectomy," *J Refract Surg.* 2003; 19: 338-343.
106. H. M. Serra, T. A. Cafaro, M.F. Suarez, J.O. Croxatto, P.A. Moro and J. A. Urreto-Zavalia, Participación de componentes inmunológicos en la etiopatogenia de la queratopatía climática esferoidea, *Archivos Argentinos de Alergia e Inmunología Clínica.* 2011; 42: 49-58.
107. Coroneo M., Ultraviolet radiation and the anterior eye, *Eye Contact Lens.* 2011; 37: 214-224.
108. E. W. Helbling, E. S. Barbieri, M. A. Marcoval, R. J. Gonçalves, V. E. Villafañe, "Impact of solar ultraviolet radiation on marine phytoplankton of Patagonia, Argentina," *Photochem Photobiol.* 2005; 81: 807-818.
109. T. G. Schurr, M. C. Dulik, T. A. Cafaro, M. F. Suarez, J. A. Urreto-Zavalia, H. M. Serra, "Genetic background and climatic droplet keratopathy incidence in a Mapuche population from Argentina", *PLoS One.* 2013; 8: e74593. doi:10.1371/journal.pone.0074593.
110. Reichard M, Hovakimyan M, Wree A et al. Comparative in vivo confocal microscopical study of the cornea anatomy of different laboratory animals. *Curr Eye Res* 2010; 35: 1072-1080.
111. Al-Aqaba MA, Alomar T, Miri A, Fares U, Otri AM, Dua HS. Ex vivo confocal microscopy of human corneal nerves. *Br J Ophthalmol* 2010; 94: 1251-1257.
112. Patel DV, Ku JY, Johnson R, McGhee CN. Laser scanning in vivo confocal microscopy and quantitative aesthesiometry reveal decreased corneal innervation and sensation in keratoconus. *Eye (London, England)* 2009; 23: 586-592.
113. Labbe A, Liang H, Martin C, Brignole-Baudouin F, Warnet JM, Baudouin C. Comparative anatomy of laboratory animal corneas with a new-generation high-resolution in vivo confocal microscope. *Curr Eye Res* 2006; 31: 501-509.
114. Prince JH, Diesem CD, Eglitis I, Ruskell G. Anatomy and Histology of the eye and orbit in Domestic Animals. Springfield, IL: Charles C Thomas Publisher, 1960; 182-206.

115. Galán A, Martín-Suárez EM, Molleda JM. Ophthalmoscopic characteristics in sheep and goats: comparative study. *J Vet Med A Physiol Pathol Clin Med* 2006; 53: 205-8.
116. Guyomard JL, Rosolen SG, Paque M et al. A low-cost and simple imaging technique of the anterior and posterior segments: eye fundus, ciliary body, iridocorneal angle. *Invest Ophthalmol Vis Sci* 2008; 49: 5168-5174.
117. Scott JE, Bosworth TR. A comparative biochemical and ultrastructural study of proteoglycan-collagen interactions in corneal stroma. Functional and metabolic implications. *Biochem Journal* 1990; 270: 491-497.
118. Williams KA, Brereton HM, Coster DJ. Prospects for genetic modulation of corneal graft survival. *Eye (London, England)* 2009; 23: 1904-1909.
119. Bron AJ, Tiffany JM, Gouveia SM, Yokoi N, Voon LW. Functional aspects of the tear film lipid layer. *Exp Eye Res* 2004; 78: 347-360
120. Korb DR, Baron DF, Herman JP et al. Tear film lipid layer thickness as a function of blinking. *Cornea* 1994; 13: 354-359.
121. Isreb MA, Greiner JV, Korb DR et al. Correlation of lipid layer thickness measurements with fluorescein tear film break-up time and Schirmer's test. *Eye* 2003; 17: 79-83.
122. Gionfriddo JR, Davidson H, Asem EK, Krohne SG. Detection of lysozyme in llama, sheep, and cattle tears. *Am J Vet Res* 2000; 61: 1294-1297.
123. Tiffany JM, Pandit JC, Bron AJ. Soluble mucin and the physical properties of tears. *Adv Exp Med Biol* 1998; 438: 229-234.
124. Davidson HJ, Kuonen VJ. The tear film and ocular mucins. *Vet Ophthalmol* 2004; 7: 71-77.
125. Rothschild CM, Sellon DC, Bryan GM, Gay JM, Hines MT. Effects of trimethoprim-sulfadiazine on tear production and the fluctuations of Schirmer tear test values in horses. *Vet Ophthalmol* 2004; 7: 385-390.
126. Williams DL. Analysis of tear uptake by the Schirmer tear test strip in the canine eye. *Vet Ophthalmol* 2005; 8: 325-330.
127. Enriquez-Algeciras M, Bhattacharya SK. Lipidomic mass spectrometry and its application in neuroscience. *World J Biol Chem*. 2013; 4: 102-110
128. Wang M, Wang C, Han RH, Han X. Novel advances in shotgun lipidomics for biology and medicine. *Prog Lipid Res*. 2016; 61: 83-108.
129. Edwards G, Aribindi K, Guerra Y, Lee RK, Bhattacharya SK. Phospholipid profiles of control and glaucomatous human aqueous humor. *Biochimie*. 2014; 101: 232-247.
130. Aribindi K, Guerra Y, Lee RK, Bhattacharya SK. Comparative phospholipid profiles of control and glaucomatous human trabecular meshwork. *Invest Ophthalmol Vis Sci*. 2013; 54: 3037-3044.
131. Bazan HE, Bazan NG. Composition of phospholipids and free fatty acids and incorporation of labeled arachidonic acid in rabbit cornea. Comparison of epithelium, stroma and endothelium. *Curr Eye Res*. 1984; 3:1313-9.
132. Zerihun T, Dame, Farid Aziat, Rupasri Mandal, Ram Krishnamurthy, Souhaila Bouatra, Shima Borzouie, An Chi Guo, Tanvir Sajed, Lu Deng, Hong Lin, Philip Liu, Edison Dong,

- David S. Wishart. The human saliva metabolome. *Metabolomics*. 2015; doi 10.1007/s11306-015-0840-5.
133. Shoham A, Hadziahmetovic M, Dunaief JL, Mydlarski MB, Schipper HM. Oxidative stress in diseases of the human cornea. *Free Radic Biol Med*. 2008; 15; 45: 1047
 134. Williams DL. Laboratory animal ophthalmology. In: Blackwell Publishing Ltd, editor. *Veterinary Ophthalmology*. 4 ed. Ames Iowa: 2007. p. 1336-69.
 135. Howlett MH, McFadden SA. Form-deprivation myopia in the guinea pig (*Cavia porcellus*). *Vision Res*. 2006; 46:267-283.
 136. Lo WK, Zhou CJ, Reddan J. Identification of caveolae and their signature proteins caveolin 1 and 2 in the lens. *Exp Eye Res* 2004; 79: 487-498.
 137. Bantseev V, Oriowo OM, Giblin FJ, Leverenz VR, Trevithick JR, Sivak JG. Effect of hyperbaric oxygen on guinea pig lens optical quality and on the refractive state of the eye. *Experimental Eye Research* 2004; 78: 925-931.
 138. Loeliger M, Briscoe T, Lambert G, Caddy J, Rehn A, Dieni S, et al. Chronic placental insufficiency affects retinal development in the guinea pig. *Investigative Ophthalmology & Visual Science*. 2004; 45: 2361-2367.
 139. Gasser K, Fuchs-Baumgartinger A, Tichy A, Nell B. Investigations on the conjunctival goblet cells and on the characteristics of glands associated with the eye in the guinea pig. *Vet Ophthalmol*. 2011; 14: 26-40.
 140. Trost K, Skalicky M, Nell B. Schirmer tear test, phenol red thread tear test, eye blink frequency and corneal sensitivity in the guinea pig. *Vet Ophthalmol*. 2007; 10:143-146.
 141. Coster ME, Stiles J, Krohne SG, Raskin RE. Results of diagnostic ophthalmic testing in healthy guinea pigs. *J Am Vet Med Assoc*. 2008; 232:1825-1833.
 142. Tiffany JM Tears and conjunctiva. In: Harding JJ, ed. *Biochemistry of the eye*. London: Chapman & Hall. 1997, pp 45–78.
 143. Whikehart DR Biochemistry of the eye. Boston, MA: Butterworth- Heinemann. 2004, pp 11–13.
 144. Ibrahim OM, Dogru M, Takano Y, Satake Y, Wakamatsu TH, Fukagawa K, Tsubota K, Fujishima H. Application of visante optical coherence tomography tear meniscus height measurement in the diagnosis of dry eye disease. *Ophthalmology*. 2010; 117: 1923-1929.
 145. Wolff E. The muco-cutaneous junction of the lid margin and the distribution of the tear fluid. *Trans. Ophthalmol. Soc. UK*. 1946; 66:291-308.
 146. Rantamäki AH, Seppänen-Laakso T, Oresic M, Jauhainen M, Holopainen JM. Human tear fluid lipidome: from composition to function. *PLoS One*. 2011; 6:e19553.
 147. Robciuc A, Rantamäki AH, Jauhainen M, Holopainen JM. Lipid-modifying enzymes in human tear fluid and corneal epithelial stress response. *Invest Ophthalmol Vis Sci*. 2014; 55:16-24.
 148. J.P. Bergmanson, P.G. Soderberg, The significance of ultraviolet radiation for eye diseases. A review with comments on the efficacy of UV-blocking contact lenses, *Ophthalmic Physiol Opt*. 15; 1995, 83–91.
 149. Chen Y, Mehta G, Vasiliou V. Antioxidant defenses in the ocular surface. *Ocul Surf*. 2009; 7:176-185.

150. Koliopoulos JX, Margaritis LH. Response of the cornea to far ultraviolet light: an ultrastructural study. *Ann Ophthalmol.* 1979; 11:765-769.
151. Lassen N, Black WJ, Estey T, Vasiliou V. The role of corneal crystallins in the cellular defense mechanisms against oxidative stress. *Semin Cell Dev Biol.* 2008; 19:100-112.
152. Estey T, Cantore M, Weston PA, Carpenter JF, Petrush JM, Vasiliou V. Mechanisms involved in the protection of UV-induced protein inactivation by the corneal crystallin ALDH3A1. *J Biol Chem.* 2007; 282: 4382-4392.
153. Lodovici M, Raimondi L, Guglielmi F, Gemignani S, Dolara P. Protection against ultraviolet B-induced oxidative DNA damage in rabbit corneal-derived cells (SIRC) by 4-coumaric acid. *Toxicology.* 2003; 184:141-7.
154. King G, Holmes RS. Human corneal aldehyde dehydrogenase: purification, kinetic characterisation and phenotypic variation. *Biochem Mol Biol Int.* 1993; 31:49-63.
155. Estey T, Piatigorsky J, Lassen N, Vasiliou V. ALDH3A1: a corneal crystalline with diverse functions. *Exp Eye Res.* 2007; 84:3-12.
156. Silverman B, Alexander RJ, Henley WL. Tissue and species specificity of BCP 54, the major soluble protein of bovine cornea. *Exp Eye Res.* 1981; 33:19-29.
157. Downes JE, VandeBerg JL, Hubbard GB, Holmes RS. Regional distribution of mammalian corneal aldehyde dehydrogenase and alcohol dehydrogenase. *Cornea.* 1992; 11:560-6.
158. Cafaro TA. Estudios bioquímicos y genéticos en Queratopatía climática esferoidea. Tesis para obtener el grado de Doctor en Ciencias Químicas, mayo de 2011.
159. Everson Pearse. Histochemistry. Theoretical and Applied. 2 ed. Gran Britain London: J&A Churchill; 1960.
160. Gondhowiardjo TD, van Haeringen NJ, Hoekzema R, Pels L, Kijlstra A. Detection of aldehyde dehydrogenase activity in human corneal extracts. *Curr Eye Res.* 1991; 10:1001-1007.
161. Holly FJ. Tear film physiology. *Am J Optom Physiol Opt.* 1980; 57: 252Y7.
162. Tiffany JM. The role of meibomian secretion in the tears. *Trans Ophthalmol Soc U K* 1985; 104(Pt. 4):396Y401.
163. Doughty MJ. Consideration of three types of spontaneous eyeblink activity in normal humans: during reading and video display terminal use, in primary gaze, and while in conversation. *Optom Vis Sci* 2001; 78: 712Y25.
164. Gum GG, Gelatt KN, Ofri O. Veterinary Ophthalmology. In: Physiology of the eye. 3rd edition. Philadelphia: Lippincott Williams & Wilkins, 1991; 151-181.
165. Suárez MF, Crim N, Monti R, Espósito E, UrretsZavalía JA, et al. Clinical, Functional and Structural Studies of Humans and Merino Sheep Corneas from Two Different Regions of Argentina. *J Clin Exp Ophthalmol.* 2015; 6: 499. doi:10.4172/2155-9570.1000499.
166. Stern JA, Walrath LC, Goldstein R. The endogenous eyeblink. *Psychophysiology* 1984; 21:22Y33.
167. KarsonCN, Berman KF, Donnelly EF, MendelsonWB, Kleinman JE, Wyatt RJ. Speaking, thinking, and blinking. *Psychiatry Res* 1981; 5: 243Y6.

168. Freudenthaler N, Neuf H, Kadner G, Schlote T. Characteristics of spontaneous eyeblink activity during video display terminal use in healthy volunteers. *Graefes Arch Clin Exp Ophthalmol* 2003; 241: 914Y20.
169. Nakamori K, Odawara M, Nakajima T, Mizutani T, Tsubota K. Blinking is controlled primarily by ocular surface conditions. *Am J Ophthalmol* 1997; 124: 24Y30
170. Wieser B, Tichy A, Nell B. Correlation between corneal sensitivity and quantity of reflex tearing in cows, horses, goats, sheep, dogs, cats, rabbits, and guinea pigs. *Vet Ophthalmol*. 2013; 16:251-262
171. Goren, M.B., Goren, S.B. Diagnostic tests in patients with symptoms of keratoconjunctivitis sicca. *Am. J. Ophthalmol.* 1988; 106: 570–574
172. Lemp, M.A., 1995. Report of the National Eye Institute/Industry workshop on clinical trials in dry eyes. *CLAO J.* 21, 221–232.
173. Yokoi N, Komuro A. Non-invasive methods of assessing the tear film (Review). *Exp Eye Res.* 2004; 78: 399-407.
174. Yokoi, N., Bron, A.J., Tiffany, J.M., Kinoshita, S., 2000. Reflective meniscometry: a new field of dry eye assessment. *Cornea.* 19, S37–S43.
175. McDonald, J.E. Surface phenomena of the tear film. *Am. J. Ophthalmol.* 1969; 67: 56–64.
176. Chew, C.K., Jansweijer, C., Tiffany, J.M., Dikstein, S., Bron, A.J. An instrument for quantifying meibomian lipid on the lid margin: the Meibometer. *Curr. Eye Res.* 1993; 12: 247–254.
177. Llorente Guillemot, A. Valoración del volumen de menisco lagrimal con Tomografía de Coherencia Óptica. Validación y comparación con el Test de Schirmer. *Gaceta óptica*, 2010, 451: 18-26
178. Holly FJ. Physical chemistry of the normal and disordered tear film. *Trans Ophthalmol Soc U K* 1985; 104: 374–80.
179. Ballard OT. The Gross Anatomy of Cavia cobaya with a Comparative Study of Another Hystricomorph Rodent, *Erethizon dorsatus*, University of Kansas, Kansas, 1937.
180. Rantamaki AH, Telenius J, Koivuniemi A, Vattulainen I, Holopainen JM. Lessons from the biophysics of interfaces: Lung surfactant and tear fluid. *Prog Retin Eye Res*, in press.
181. Pappa A, Estey T, Manzer R, Brown D, Vasiliou V. Human aldehyde dehydrogenase 3A1 (ALDH3A1): biochemical characterization and immunohistochemical localization in the cornea. *Biochem J.* 2003; 376: 615-623.
182. Pappa A, Brown D, Koutalos Y, DeGregori J, White C, Vasiliou V. Human aldehyde dehydrogenase 3A1 inhibits proliferation and promotes survival of human corneal epithelial cells. *J Biol Chem.* 2005; 280: 27998-8006.
183. Stagos D, Chen Y, Cantore M, Jester JV, Vasiliou V. Corneal aldehyde dehydrogenases: multiple functions and novel nuclear localization. *Brain Res Bull.* 2010; 81: 211-8.
184. Chen Y, Thompson DC, Koppaka V, Jester JV, Vasiliou V. Ocular aldehyde dehydrogenases: protection against ultraviolet damage and maintenance of transparency for vision. *Prog Retin Eye Res.* 2013; 33: 28-39.

185. Estey T, Chen Y, Carpenter JF, Vasiliou V. Structural and functional modifications of corneal crystallin ALDH3A1 by UVB light. *PLoS One*. 2010; 21; 5: e15218
186. Marchitti SA, Chen Y, Thompson DC, Vasiliou V. Ultraviolet radiation: cellular antioxidant response and the role of ocular aldehyde dehydrogenase enzymes. *Eye Contact Lens*. 2011; 37:206-213.
187. Black W, Chen Y, Matsumoto A, Thompson DC, Lassen N, Pappa A, Vasiliou V. Molecular mechanisms of ALDH3A1-mediated cellular protection against 4 hydroxy-2-nonenal. *Free Radic Biol Med*. 2012; 52:1937-1944.
188. Aldave, A.J., Kamal, K.M., Vo, R.C., Yu, F. Epithelial debridement and Bowman's layer polishing for visually significant epithelial irregularity and recurrent corneal erosions. *Cornea*. 2009; 28: 1085e1090
189. Laibson, P.R. Recurrent corneal erosions and epithelial basement membrane dystrophy. *Eye Contact Lens* 2010; 36: 315e317.
190. Mencucci, R., Paladini, I., Brahimi, B., Menchini, U., Dua, H.S., Romagnoli, P., Alcohol delamination in the treatment of recurrent corneal erosion: an electron microscopic study. *Br. J. Ophthalmol*. 2010; 94: 933e939.
191. Pal-Ghosh S, Blanco T, Tadvalkar G, Pajooohesh-Ganji A, Parthasarathy A, Zieske JD, Stepp MA. MMP9 cleavage of the β 4 integrin ectodomain leads to recurrent epithelial erosions in mice. *J Cell Sci*. 2011;124: 2666-2675.
192. Pal-Ghosh S, Pajooohesh-Ganji A, Tadvalkar G, Stepp MA. Removal of the basement membrane enhances corneal wound healing. *Exp Eye Res*. 2011; 93: 927-36. doi: 10.1016/j.exer.2011.10.012.
193. Stepp MA, Zieske JD, Trinkaus-Randall V, Kyne BM, Pal-Ghosh S, Tadvalkar G, Pajooohesh-Ganji A. Wounding the cornea to learn how it heals (Review). *Exp Eye Res*. 2014; 121: 178-93. doi: 10.1016/j.exer.2014.02.007.
194. Boote C, Dooley EP, Gardner SJ, Kamma-Lorger CS, Hayes S, Nielsen K, Hjortdal J, Sorensen T, Terrill NJ, Meek KM. Quantification of collagen ultrastructure after penetrating keratoplasty - implications for corneal biomechanics. *PLoS One*. 2013; 8: e68166.
195. Gipson IK, Kiorpis TC, Brennan SJ. Epithelial sheet movement: effects of tunicamycin on migration and glycoprotein synthesis. *Dev. biol*. 1984, 101:212-220.
196. Sta Iglesia DD, Stepp MA. Disruption of the basement membrane after corneal debridement. *Investig Ophthalmol Vis Sci*. 2000, 41:1045-1053.
197. Gordon GM, Austin JS, Sklar AL, Feuer WJ, Lagier AJ, Fini ME. Comprehensive gene expression profiling and functional analysis of matrix metalloproteinases and TIMPs, and identification of ADAM-10 gene expression, in a corneal model of epithelial resurfacing. *J Cell Physiol* 2011; 226:1461-70.
198. Gipson, I. K. Adhesive mechanisms of the corneal epithelium. *Acta Ophthalmol. Suppl*. 1992; 202: 13-17.
199. Murphy G, Cockett MI, Ward RV, Docherty AJ. Matrix metalloproteinase degradation of elastin, type IV collagen and proteoglycan. A quantitative comparison of the activities of 95

- kDa and 72 kDa gelatinases, stromelysins-1 and -2 and punctuated metalloproteinase (PUMP). *Biochem J.* 1991; 277: 277–279.
200. Rechardt O, Elomaa O, Vaalamo M, Paakkonen K, Jahkola T, Hook-Nikanne J, Hembry RM, Hakkinen L, Kere J, Saarialho-Kere U. Stromelysin-2 is upregulated during normal wound repair and is induced by cytokines. *J Invest Dermatol.* 2000; 115:778–787.
201. Netto MV, Mohan RR, Ambrosio Jr R, Hutcheon AE, Zieske JD, Wilson SE, Wound healing in the cornea: a review of refractive surgery complications and new prospects for therapy. *Cornea.* 2005; 24: 509-522.
202. Blanco-Mezquita JT, Hutcheon AE, Stepp MA, Zieske JD. Role of the trombospondin-1 in repair of penetrating corneal wounds. *Investig. Ophthalmol Vis Sci.* 2013; 54: 6262-6268
203. Kato T, Chang JH, Azar DT. Expression of type XVIII collagen during wound healing of corneal incisions and keratectomy wounds. *Investig Ophthalmol Vis Sci.* 2003; 44:78-85.
204. Amescua G, Collings F, Sidani, A, Bonfield, TL, Rodriguez JP, Galor A, Medina C, Yang X, Perez VL, 2008. Effect of CXCL-1/KC production in high risk vascularized corneal allografts on T cell recruitment and graft rejection. *Transplantation.* 2008; 85:615-625.
205. Saika S, Sumioka T, Okada Y, Kitano A, Miyamoto T, Shirari K, Kokado H, Wakayama Symposium: Modulation of wound healing response in the corneal stroma by osteopontin and tenascin-C. *Ocular Surf.* 2013; 11:12-15
206. Pallikaris IG, Papatzanaki ME, Stathi EZ, Frenschock O, Georgiadis A. Laser in situ keratomileusis. *Lasers Surg Med.* 1990; 10: 463-468.
207. Mohan RR, Hutcheon AE, Choi R, Hong J, Lee J, Ambrosio Jr. R, Zieske JD, Wilson SE. Apoptosis, necrosis, proliferation, and myofibroblast generation in the stroma following LASIK and PRK. *Exp Eye Res.* 2003; 76:71-87.
208. Netto MV, Mohan RR, Sinha S, Sharma A, Dupps W, Wilson SE. Stromal haze, myofibroblasts, and surface irregularity after PRK. *Exp Eye Res.* 2006; 82: 788-797.
209. Singh V, Jaini R, Torricelli AA, Tuohy VK, Wilson SE. A method to generate enhanced GFP+ chimeric mice to study the role of bone marrow-derived cells in the eye. *Exp Eye Res.* 2013; 116: 366-370.
210. Boote C, Du Y, Morgan S, Harris J, Kamma-Lorger CS, Hayes S. Quantitative assessment of ultrastructure and lightscatter in mouse corneal debridement wounds. *Invest Ophthalmol Vis Sci.* 2012; 53:786–795.
211. Vieira E, Watzl V, Azevedo M, Souza WF, Dos Santos RX, Ruiz SA. Utilização do laser de argônio na remoção de sutura corneana. *Arq Bras Oftalmol.* 2004; 67:901-904.
212. Kremer I, Even A, Sandbank J, Giler S, Yassur Y. Effect of green argon (514 nm) laser exposure on rose bengal-stained guinea pig cornea. *Isr J Med Sci.* 1996; 32: 1243-1248.
213. Krauss JM, Puliafito CA, Steinert RF. Laser interactions with the cornea. *Surv Ophthalmol.* 1986; 31:37-53.
214. McCally RL, Barger CB, Green WR, Farrel RA. Stromal damage in rabbit corneas exposed to CO₂ laser irradiation. *Experimental Eye Research.* 1983; 37: 543-550.
215. Spiess B. The use of laser in veterinary ophthalmology: Recommendations based on literature. *Photon Lasers Med.* 2012; 1: 95-102.

216. Hoffman A, Ownby C, Lehenbauer TW, Samuelson D, Gilmour M and Bartels K. Light and electron microscopic evaluation of canine corneal endothelium following CO₂ photokeratotomy. *Veterinary Ophthalmology*. 2009; 12: 28-34.
217. Chew PT, Wong JS, Chee CK, Tock EP. Corneal transmissibility of diode versus argón lasers and their photothermal effects on the cornea and iris. *Clin Experiment Ophthalmol*. 2000; 28: 53-55
218. Gilmour MA. Laser applications for corneal disease. *Clin Tech Small Anim Pract*. 2003; 18:199–202
219. Friedenwald JS, Buschke W. Some factors concerned in the mitotic and wound-healing activities of the corneal epithelium. *Trans Am Ophthalmol Soc*. 1944; 42: 371-383.
220. Zieske JD, Gipson IK. Protein synthesis during corneal epithelial wound healing. *Investig Ophthalmol Vis Sci*. 1986; 27:1-7.
221. Suárez AC, Suárez MF, Crim N, Monti R, Urrets-Zavalía, Serra HM. Effects produced by different types of laser in cornea of guinea pigs: identification of a laser capable of producing superficial lesions without leaving scars. *Arch Soc Oftalmol*. 2015; 90: 458-466.
222. Pal-Ghosh S, Pajooohesh-Ganji A, Menko AS, Oh HY, Tadvalkar G, Saban DR, Stepp MA. Cytokine deposition alters leukocyte morphology and initial recruitment of monocytes and $\gamma\delta$ T cells after corneal injury. *Invest Ophthalmol Vis Sci*. 2014; 55: 2757-2765.
223. Li Z, Burns AR, Miller SB, Smith CW. CCL20, gammadelta T cells, and IL-22 in corneal epithelial healing. *FASEB J*. 2011; 25: 2659-2668.
224. Li Z, Burns AR, Smith CW. Two waves of neutrophil emigration in response to corneal epithelial abrasion: distinct adhesion molecule requirements. *Investig Ophthalmol Vis Sci*. 2006; 47:1947-1955.
225. Ruberti JW, Zieske JD. Prelude to corneal tissue engineering e gaining control of collagen organization. *Prog Retin Eye Res*. 2008; 27: 549-577.
226. Andre AM, Torricelli SW. Cellular and extracellular matrix modulation of corneal stromal opacity. *Exp Eye Res*. 2014; 129:151-160.
227. Finnson KW, Mc Lean S, Diguglielmo GM, Phillip A. Dynamics of transforming grow factor beta signaling in wound healing and scarring. *Adv Wound Care*. 2013; 2:195-214.
228. Garrana RMR, Zieske JD, Assouline M, Gipson IK. Matrix Metalloproteinases in Epithelia from Human Recurrent Corneal Erosion. *Invest Ophthalmol Vis Sci*. 1999; 40:1266-1270.
229. Fini ME, Parks WC, Rinehart WB, Girard MT, Matsubara M, Cook JR. Role of matrix metalloproteinases in failure to re-epithelialize after corneal injury. *Am J Pathol*. 1996; 149:1287-1302.
230. Drouin G, Godin JR, Pagé B. The genetics of vitamin C loss in vertebrates. *Curr Genomics* 2011; 12: 371-378.
231. Sliney DH. How light reaches the eye and its components. *Int J Toxicol* 2002; 21: 501-509.
232. Zigman, S. Ocular light damage. *Photochem. Photobiol*. 1993; 57: 1060e1068
233. Marchetti C, Sidahmed-Adrar N, Collin F, et al. Melatonin protects PLPC liposomes and LDL towards radical induced oxidation. *J Pineal Res*. 2011; 51: 286–296.
234. Kau HC, Tsai CC, Lee CF, et al. Increased oxidative DNA damage, 8-hydroxydeoxy-

- guanosine, in human pterygium. *Eye (Lond)* 2006; 20:826–831.
235. Bensasson RV, Land EJ, Truscott TG (1993) Excited states and free radicals in biology and medicine: Contributions from flash photolysis and pulse radiolysis. Oxford University Press, Oxford
236. Sliney DH. Exposure geometry and spectral environment determine photobiological effects on the human eye. *Photochem Photobiol* 2005; 81:483-9.
237. Pattison DI, Davies MJ. Actions of ultraviolet light on cellular structures (Review). *EXS.* 2006; 96:131-157..
238. Stadtman, E.R., Levine, R.L. Free radical-mediated oxidation of free amino acids and amino acid residues in proteins. *Amino Acids.* 2003; 25: 207e218.
239. Bloemendal, H., de, J.W., Jaenicke, R., Lubsen, N.H., Slingsby, C., Tardieu, A. Ageing and vision: structure, stability and function of lens crystallins. *Prog. Biophys. Mol. Biol.* 2004; 86: 407e485.
240. Cadet, J., Douki, T., Gasparutto, D., Ravanat, J.L. Oxidative damage to DNA: formation, measurement and biochemical features. *Mutat. Res.* 2003; 531: 5e23.
241. Catalá A. Lipid peroxidation of membrane phospholipids generates hydroxy-alkenals and oxidized phospholipids active in physiological and/or pathological conditions. *Chem Phys Lipids.* 2009; 157: 1-11.
242. Steinberg, D. At last, direct evidence that lipoxygenases play a role in atherogenesis. *J. Clin. Invest.* 1999; 103: 1487e1488
243. Ansari, N.H., Wang, L., Srivastava, S.K. Role of lipid aldehydes in cataractogenesis: 4-hydroxynonenal-induced cataract. *Biochem. Mol. Med.* 1996; 58: 25e30.
244. Butterfield, D.A., Drake, J., Pocernich, C., Castegna, A. Evidence of oxidative damage in Alzheimer's disease brain: central role for amyloid beta-peptide. *Trends Mol. Med.* 2001; 7: 548e554.
245. Kumar, R.S., Anthrayose, C.V., Iyer, K.V., Vimala, B., Shashidhar, S. Lipid peroxidation and diabetic retinopathy. *Indian J. Med. Sci.* 2001; 55: 133e138.
246. Marks-Hull, H., Shiao, T.Y., Araki-Sasaki, K., Traver, R., Vasiliou, V. Expression of ALDH3 and NMO1 in human corneal epithelial and breast adenocarcinoma cells. *Adv. Exp. Med. Biol.* 1997; 414: 59e68.
247. Esterbauer, H., Schaur, R.J., Zollner, H. Chemistry and biochemistry of 4-hydroxynonenal malondialdehyde and related aldehydes. *Free Radic. Biol. Med.* 1991; 11: 81e128.
248. Grotto D, Santa Maria L, Valentini J, Paniz C, Schmitt G, Garcia SC. Importance of the lipid peroxidation biomarkers and methodological aspects for malondialdehyde quantification. *Quím. Nova [online].* 2009; 32: 169-174.
249. Templar J, Kon SP, Milligan TP, Newman DJ, Raftery MJ. Increased plasma malondialdehyde levels in glomerular disease as determined by a fully validated HPLC method. *Nephrol Dial Transplant.* 1999; 14: 946-951.
250. Mary VS, Theumer MG, Arias SL, Rubinstein HR. Reactive oxygen species sources and biomolecular oxidative damage induced by aflatoxin B1 and fumonisins B1 in rat spleen mononuclear cells. *Toxicology.* 2012; 302: 299-307.
251. Cejkova J, Lojda Z. The damaging effect of UV rays (with the wavelength shorter than 320

- nm) on the rabbit anterior eye segment. I. Early changes and their prevention by catalase-aprotinin application. *Acta Histochem.* 1994; 96:281–286.
252. Bergamanson JPG. Corneal damage in photokeratitis—why is it so painful? *Optom Vis Sci.* 1990; 67:407–413.
253. Pitts DG, Bergamanson JPG, Chu LW. Ultrastructural analysis of corneal exposure to UV radiation. *Acta Ophthalmol (Copenh).* 1987; 65:263–273.
254. Ringvold A, Anderssen E, Kjønniksen I. Ascorbate in the corneal epithelium of diurnal and nocturnal species. *Invest Ophthalmol Vis Sci.* 1998; 39: 2774–2777.
255. Talluri RS, Katragadda S, Pal D, et al. Mechanism of L-ascorbic acid uptake by rabbit corneal epithelial cells: evidence for the involvement of sodium-dependent vitamin C transporter 2. *Curr Eye Res.* 2006; 31: 481–489
256. Suh MH, Kwon JW, Wee WR, Han YK, Kim JH, Lee JH. Protective effect of ascorbic Acid against corneal damage by ultraviolet B irradiation: a pilot study. *Cornea.* 2008; 27: 916–922.
257. Downes JE, Swann PG, Holmes RS () Ultraviolet light-induced pathology in the eye: associated changes in ocular aldehyde dehydrogenase and alcohol dehydrogenase activities. *Cornea.* 1993; 12: 241–248.
258. Piatigorsky J. A case for corneal crystallins. (Review) *J Ocul Pharmacol Ther* 2000; 16: 173–180.
259. Halliwell, B.; Chirico, S.; Am. J. Clin. Nutri. 1993; 57: 715.
260. Seto H, Akiyama K, Okuda T, Hashimoto T, Takesue T, Ikemura T, Chem. Lett. 1981; 52: 707.
261. Esterbauer H, Cheeseman K H. Methods Enzymol. 1990; 186: 407.