

## Darwin\_Core

ocurrenceId: CORD-c74fa816-3153-4aff-b916-866fc691e589-AR  
basicOfRecord: preservedSpecimen  
institutionCode: CORD  
previousIdentifications: Asteraceae | *Hysterionica aberrans* (Cabrera) Cabrera var. *hunzikeri* Ariza  
recordedBy: Hunziker, A. T.  
recordNumber: 20798  
otherCatalogNumbers:  
verbatimEventDate: 20/02/71  
day: 20  
month: 2  
year: 1971  
eventDate: 1971/02/20  
higherGeography: Sudamérica | Argentina | Catamarca  
continent: Sudamérica  
country: Argentina  
countryCode: AR  
stateProvince: Catamarca  
county: Ambato  
locality: Sierra de Ambato (falda E): Subiendo desde El Rodeo rumbo a Los Cajones: Cerca de Agüita del Morro  
decimalLatitude: -28.01666667  
decimalLongitude: -65.91388889  
coordinateUncertaintyInMeters:  
verbatimElevation: ± 2650-2750  
occurrenceRemarks: Flores liguladas de color amarillo claro. Frecuente Cfr.: Darwiniana 22 (4): 543. 1980.  
kingdom: Plantae  
phylum: Tracheophyta  
class: Magnoliopsida  
order: Asterales  
family: Asteraceae  
scientificName: *Hysterionica aberrans* (Cabrera) Cabrera var. *hunzikeri* Ariza  
identifiedBy: Ariza Espinar, L.  
dateIdentified: 2010  
georeferenceSources: Atlas de la Rep. Argentina. 1ª parte Política. 3ª ed. 1979. Inst. Geog. Militar Argentino  
georeferenceRemarks: Centro del Dpto.  
geodeticDatum: WGS84  
catalogNumber: CORD 00004585  
typeStatus: Paratipo  
establishmentMeans: Endémica