

## Darwin\_Core

occurrenceId: CORD-c656030d-2222-4a43-b8f8-cfaa053e2257-AR  
basicOfRecord: preservedSpecimen  
institutionCode: CORD  
previousIdentifications: Acanthaceae | *Ruellia bangii* Rusby | Ariza Espinar, L. | 2010  
recordedBy: Bang, M.  
recordNumber: 1355  
otherCatalogNumbers:  
verbatimEventDate: 00/00/1892  
day:  
month:  
year: 1892  
eventDate: 1892  
higherGeography: Sudamérica | Bolivia  
continent: Sudamérica  
country: Bolivia  
countryCode: BO  
stateProvince:  
county:  
locality: Tipuani-Guanai  
decimalLatitude:  
decimalLongitude:  
coordinateUncertaintyInMeters:  
verbatimElevation:  
occurrenceRemarks: Fecha: April-June, 1892. Cfr.: Mem. Torrey Bot. Club 6 (1): 102. 1896.  
kingdom: Plantae  
phylum: Tracheophyta  
class: Magnoliopsida  
order: Lamiales  
family: Acanthaceae  
scientificName: *Ruellia bangii* Rusby  
identifiedBy: Ariza Espinar, L.  
dateIdentified: 2010  
georeferenceSources: Desconocido  
georeferenceRemarks: Centro del Dpto.  
geodeticDatum:  
catalogNumber: CORD 00005079  
typeStatus: Isotipo  
establishmentMeans: